ELSEVIER

Neuroscience Letters 239 (1997) 132–134

Neuroscience Letters

Author Index to Volume 239

Aeschbach, D., Matthews, J.R., Postolache, T.T., Jackson, M.A., Giesen, H.A., Wehr, T.A., Dynamics of the human EEG during prolonged wakefulness: evidence for frequency-specific circadian and homeostatic influences, 121
Ajmar, F., see Schito, A.M., 49
Allen, S.J., MacGowan, S.H., Tyler, S., Wilcock, G.K., Robertson, A.G.S., Holden, P.H., Smith, S.K.F., Dawbarn, D., Reduced cholinergic function in normal and Alzheimer's disease brain is associated with apolipoprotein E4 genotype, 33
Ang, C.W., see Gabreëls, B.A.Th.F., 5
Ayan, T., see Probst, T., 97

Bae, Y.-K., see Kim, C.-H., 113
Bellone, E., see Schito, A.M., 49
Blusztajn, J.K., see Pedersen, W.A., 77
Branton, R., see Campbell, J.M., 54
Brodbeck, U., see Flores-Flores, C., 101
Brust, P.F., see McCool, B.A., 89

Campbell, J.M., Payne, A.P., Gilmore, D.P., Russell, D., McGadey, J., Clarke, D.J., Branton, R., Davies, R.W., Sutcliffe, R.G., Age changes in dopamine levels in the corpus striatum of Albino Swiss (AS) and AS/AGU mutant rats, 54
Campoy, F.J., see Flores-Flores, C., 101
Carette, B., Neurons in the guinea-pig lateral septum generate rhythmic bursting activities, in vitro, following application of carbachol, 93
Clarke, D.J., see Campbell, J.M., 54

Davies, D.C., see Kurt, M.A., 41
Davies, R.W., see Campbell, J.M., 54
Dawbarn, D., see Allen, S.J., 33
Defferrari, R., see Schito, A.M., 49
Delgado, F., see Lopez-Gonzalez, M.A., 1
Di Maria, E., see Schito, A.M., 49

Flores-Flores, C., Martínez-Martínez, A., Campoy, F.J., Brodbeck, U., Vidal, C.J., Differential interaction of the monoclonal antibody AE-1 with acetylcholinesterase oligomers and monomers from rabbit muscle microsomes, human brain and fetal bovine serum, 101
Fujii, R., see Kim, C.-H., 113
Fuxe, K., see Lepiku, M., 61

Gabreëls, B.A.Th.F., Verwer, R.W.H., Sonnemans, M.A.F., Sluiter, A.A., Ang, C.W., van Leeuwen, F.W., Lack of translation of normal 7B2 mRNA levels in hypothalamic mutant vasopressin cells of the homozygous Brattleboro rat, 5
Garland, S.J., Griffin, L., Ivanova, T., Motor unit discharge rate is not associated with muscle relaxation time in sustained submaximal contractions in humans, 25
Giesen, H.A., see Aeschbach, D., 121
Gilmore, D.P., see Campbell, J.M., 54
Golombowski, S., see März, P., 29
Graham, S.H., see Shimizu, S., 125
Griffin, L., see Garland, S.J., 25
Guerrero, J.M., see Lopez-Gonzalez, M.A., 1

Harpold, M.M., see McCool, B.A., 89
Hayashi, F., Takahashi, K., Nishikawa, T., Uptake of D- and L-serine in C6 glioma cells, 85
Heese, K., see März, P., 29
Heusser, K., Tellschaft, D., Thoss, F., Influence of an alternating 3 Hz magnetic field with an induction of 0.1 millitesla on chosen parameters of the human occipital EEG, 57
Hibi, M., see Kim, C.-H., 113
Hirano, T., see Kim, C.-H., 113
Hock, C., see März, P., 29
Holden, P.H., see Allen, S.J., 33
Huh, T.-L., see Kim, C.-H., 113
Humpel, C., see Luthman, J., 9

Inase, M., see Nambu, A., 13
Ivanova, T., see Garland, S.J., 25

Jackson, J.E., see Menco, B.Ph.M., 117
Jackson, M.A., see Aeschbach, D., 121
Järv, J., see Lepiku, M., 61

Kaneda, K., see Sato, D., 21
Kawata, M., see Pasterkamp, R.J., 81
Keinänen, R., Miettinen, S., Yrjänheikki, J., Koistinaho, J., Induction of ornithine decarboxylase mRNA in transient focal cerebral ischemia in the rat, 69
Kidd, M., see Kurt, M.A., 41
Kim, C.-H., Bae, Y.-K., Yamanaka, Y., Yamashita, S., Shimizu, T., Fujii, R., Park, H.-C., Yeo, S.-Y., Huh, T.-L., Hibi, M., Hirano, T., Overexpression of *neurogenin* induces ectopic expression of HuC in zebrafish, 113

Koistinaho, J., see Keinänen, R., 69
Kurt, M.A., Davies, D.C., Kidd, M., Paired helical filament morphology varies with intracellular location in Alzheimer's disease brain, 41

Lee, K., Nicholson, J.R., McKnight, A.T., Nociceptin hyperpolarises neurones in the rat ventromedial hypothalamus, 37

PII S0304-3940(97)00932-4

Leigh, P.N., see Radunović, A., 105
Lepiku, M., Rinken, A., Järv, J., Fuxe, K., Modulation of [^{3}H]quinpirole binding to dopaminergic receptors by adenosine A_{2A} receptors, 61
Loose, R., see Probst, T., 97
Lopez-Gonzalez, M.A., Guerrero, J.M., Sanchez, B., Delgado, F., Melatonin induces hyporeactivity caused by type II collagen in peripheral blood lymphocytes from patients with auto-immune hearing losses, 1
Lovinger, D.M., see McCool, B.A., 89
Luthman, J., Humpel, C., Pentylenetetrazol kindling decreases *N*-methyl-D-aspartate and kainate but increases gamma-aminobutyric acid-A receptor binding in discrete rat brain areas, 9

MacGowan, S.H., see Allen, S.J., 33
Mancardi, G.L., see Schito, A.M., 49
Mandich, P., see Schito, A.M., 49
Martínez-Martínez, A., see Flores-Flores, C., 101
Marunouchi, T., see Tanaka, M., 17
März, P., Heese, K., Hock, C., Golombowski, S., Müller-Spahn, F., Rose-John, S., Otten, U., Interleukin-6 (IL-6) and soluble forms of IL-6 receptors are not altered in cerebrospinal fluid of Alzheimer's disease patients, 29
Matsumoto, K., see Wakabayashi, K., 45
Matthews, J.R., see Aeschbach, D., 121
McCool, B.A., Harpold, M.M., Stauderman, K.A., Brust, P.F., Lovinger, D.M., Relative contributions of G protein, channel, and receptor to voltage-dependent inhibition of neuronal N-type and P/Q-type calcium channels in HEK 293 cell lines, 89
McGadey, J., see Campbell, J.M., 54
McKnight, A.T., see Lee, K., 37
Menco, B.Ph.M., Jackson, J.E., Neuron-like cells on the apical surface of the developing rat olfactory epithelium, 117
Miettinen, S., see Keinänen, R., 69
Miletic, V., see Zaiser, A.E., 128
Morita, N., see Pasterkamp, R.J., 81
Müller-Spahn, F., see März, P., 29

Nambu, A., Tokuno, H., Inase, M., Takada, M., Corticosubthalamic input zones from forelimb representations of the dorsal and ventral divisions of the premotor cortex in the macaque monkey: comparison with the input zones from the primary motor cortex and the supplementary motor area, 13
Neuper, C., see Pfurtscheller, G., 65
Nicholson, J.R., see Lee, K., 37
Nishikawa, T., see Hayashi, F., 85
Nishikawa, T., see Sato, D., 21
Nishizaki, T., see Nomura, T., 73
Nomura, T., Nishizaki, T., Methamphetamine modulates ACh-evoked currents in *Xenopus* oocytes expressing the rat α7 receptors, 73

Otten, U., see März, P., 29

Park, H.-C., see Kim, C.-H., 113
Pasterkamp, R.J., Yuri, K., Morita, N., Kawata, M., Differential expression of estrogen receptor mRNA and protein in the female rat preoptic area, 81
Payne, A.P., see Campbell, J.M., 54
Pedersen, W.A., Blusztajn, J.K., Characterization of the acetylcholine-reducing effect of the amyloid-β peptide in mouse SN56 cells, 77
Pfurtscheller, G., Neuper, C., Motor imagery activates primary sensorimotor area in humans, 65
Pizzuti, A., see Schito, A.M., 49
Porto, W.G., see Radunović, A., 105
Postolache, T.T., see Aeschbach, D., 121
Probst, T., Ayan, T., Loose, R., Skrandies, W., Electrophysiological evidence for direction-specific rotary evoked potentials in human subjects – a topographical study, 97
Radunović, A., Porto, W.G., Zeman, S., Leigh, P.N., Increased mitochondrial superoxide dismutase activity in Parkinson's disease but not amyotrophic lateral sclerosis motor cortex, 105
Ratti, A., see Schito, A.M., 49
Rinken, A., see Lepiku, M., 61
Robertson, A.G.S., see Allen, S.J., 33
Rose-John, S., see März, P., 29
Russell, D., see Campbell, J.M., 54

Sanchez, B., see Lopez-Gonzalez, M.A., 1
Sato, D., Umino, A., Kaneda, K., Takigawa, M., Nishikawa, T., Developmental changes in distribution patterns of phencyclidine-induced c-Fos in rat forebrain, 21
Sawada, M., see Tanaka, M., 17
Schenone, A., see Schito, A.M., 49
Schito, A.M., Pizzuti, A., Di Maria, E., Schenone, A., Ratti, A., Defferrari, R., Bellone, E., Mancardi, G.L., Ajmar, F., Mandich, P., mRNA distribution in adult human brain of GRIN2B, a *N*-methyl-D-aspartate (NMDA) receptor subunit, 49
Seidel, B., Stanarius, A., Wolf, G., Differential expression of neuronal and endothelial nitric oxide synthase in blood vessels of the rat brain, 109
Shimizu, S., Simon, R.P., Graham, S.H., Dimethylsulfoxide (DMSO) treatment reduces infarction volume after permanent focal cerebral ischemia in rats, 125
Shimizu, T., see Kim, C.-H., 113
Simon, R.P., see Shimizu, S., 125
Skrandies, W., see Probst, T., 97
Sluiter, A.A., see Gabreëls, B.A.Th.F., 5
Smith, S.K.F., see Allen, S.J., 33
Sonnemans, M.A.F., see Gabreëls, B.A.Th.F., 5
Stanarius, A., see Seidel, B., 109
Stauderman, K.A., see McCool, B.A., 89
Sutcliffe, R.G., see Campbell, J.M., 54

Takada, M., see Nambu, A., 13
Takahashi, H., see Wakabayashi, K., 45
Takahashi, K., see Hayashi, F., 85
Takayama, K., see Wakabayashi, K., 45
Takigawa, M., see Sato, D., 21
Tanaka, M., Marunouchi, T., Sawada, M., Expression of Ly-6C on microglia in the developing and adult mouse brain, 17
Tellschaft, D., see Heusser, K., 57
Thoss, F., see Heusser, K., 57
Tokuno, H., see Nambu, A., 13
Tyler, S., see Allen, S.J., 33

Umino, A., see Sato, D., 21

van Leeuwen, F.W., see Gabreëls, B.A.Th.F., 5
Verwer, R.W.H., see Gabreëls, B.A.Th.F., 5
Vidal, C.J., see Flores-Flores, C., 101

Wakabayashi, K., Matsumoto, K., Takayama, K., Yoshimoto, M., Takahashi, H., NACP, a presynaptic protein, immunoreactivity in Lewy bodies in Parkinson's disease, 45
Wehr, T.A., see Aeschbach, D., 121
Wilcock, G.K., see Allen, S.J., 33
Wolf, G., see Seidel, B., 109

Yamanaka, Y., see Kim, C.-H., 113
Yamashita, S., see Kim, C.-H., 113
Yeo, S.-Y., see Kim, C.-H., 113
Yoshimoto, M., see Wakabayashi, K., 45
Yrjänheikki, J., see Keinänen, R., 69
Yuri, K., see Pasterkamp, R.J., 81

Zaiser, A.E., Miletic, V., Prenatal and postnatal chronic exposure to low levels of inorganic lead attenuates long-term potentiation in the adult rat hippocampus in vivo, 128
Zeman, S., see Radunović, A., 105